



OSLC Configuration Management Version 1.0. Part 4: RDF Vocabulary

Project Specification Draft 01 02 September 2021

This stage:

<https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-vocab.html> (Authoritative)
<https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-vocab.pdf>

Previous stage:

N/A

Latest stage:

<https://docs.oasis-open-projects.org/oslc-op/config/v1.0/config-vocab.html> (Authoritative)
<https://docs.oasis-open-projects.org/oslc-op/config/v1.0/config-vocab.pdf>

Open Project:

[OASIS Open Services for Lifecycle Integration \(OSLC\) Open Project](#)

Project Chairs:

Jim Amsden (jamsden@us.ibm.com), IBM
Andrii Berezovskyi (andriib@kth.se), KTH

Editor:

Nick Crossley (nick_crossley@us.ibm.com), IBM

Additional components:

This specification is one component of a Work Product that also includes:

- OSLC Configuration Management Version 1.0. Part 1: Overview. <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/oslc-config-mgt.html>
- OSLC Configuration Management Version 1.0. Part 2: Versioned Resources. <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/versioned-resources.html>
- OSLC Configuration Management Version 1.0. Part 3: Configuration Specification. <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-resources.html>
- OSLC Configuration Management Version 1.0. Part 4: RDF Vocabulary (this document). <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-vocab.html>
- OSLC Configuration Management Version 1.0. Part 5: Machine Readable Vocabulary Terms. <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-vocab.ttl>
- OSLC Configuration Management Version 1.0. Part 6: Machine Readable Vocabulary Constraints. <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-shapes.ttl>

RDF Namespaces:

<http://open-services.net/ns/config#>

Abstract:

OSLC Configuration Management RDF Vocabulary

Status:

This document was last revised or approved by the [OASIS Open Services for Lifecycle Integration \(OSLC\) Open Project](#) on the above date. The level of approval is also listed above. Check the “Latest stage” location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Open Project are listed at <https://open-services.net/about/>.

Comments on this work can be provided by opening issues in the project repository or by sending email to the project’s public comment list oslc-op@lists.oasis-open-projects.org.

Note that any machine-readable content ([Computer Language Definitions](#)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product’s prose narrative document(s), the content in the separate plain text file prevails.

Citation format:

When referencing this specification the following citation format should be used:

[OSLC-Config-1.0-Part4]

OSLC Configuration Management Version 1.0. Part 4: RDF Vocabulary. Edited by Nick Crossley. 02 September 2021.

OASIS Project Specification Draft 01. <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/psd01/config-vocab.html>.

Latest stage: <https://docs.oasis-open-projects.org/oslc-op/config/v1.0/config-vocab.html>.

Notices

Copyright © OASIS Open 2013-2021. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This specification is published under the [Attribution 4.0 International \(CC BY 4.0\)](#). Portions of this specification are also provided under the [Apache License 2.0](#).

All contributions made to this project have been made under the [OASIS Contributor License Agreement \(CLA\)](#).

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the [Open Projects IPR Statements page](#).

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Open Project or OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Project Specification or OASIS Standard, to notify the OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Open Project that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Open Project Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

Table of Contents

- 1. [Introduction](#)
 - 1.1 [Typographical Conventions and Use of RFC Terms](#)
 - 1.2 [References](#)
 - 1.2.1 [Normative references](#)
- 2. [RDF Vocabulary](#)
 - 2.1 [Vocabulary Details](#)
 - 2.1.1 [Classes in this namespace \(15\)](#)
 - 2.1.2 [Properties in this namespace \(23\)](#)
 - 2.1.3 [Resources \(Individuals\) in this namespace \(1\)](#)
- 3. [Conformance](#)

1. Introduction

This section is non-normative.

1.1 Typographical Conventions and Use of RFC Terms

As well as sections marked as non-normative, all authoring guidelines, diagrams, examples, and notes in this specification are non-normative. Everything else in this specification is normative.

The key words "**MUST**", "**MUST NOT**", "**REQUIRED**", "**SHALL**", "**SHALL NOT**", "**SHOULD**", "**SHOULD NOT**", "**RECOMMENDED**", "**NOT RECOMMENDED**", "**MAY**", and "**OPTIONAL**" in this specification are to be interpreted as described in [BCP 14](#) [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

1.2 References

1.2.1 Normative references

[RFC2119]

S. Bradner. [Key words for use in RFCs to Indicate Requirement Levels](#). IETF, March 1997. Best Current Practice. URL: <https://www.rfc-editor.org/rfc/rfc2119>

[RFC8174]

B. Leiba. [Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words](#). IETF, May 2017. Best Current Practice. URL: <https://www.rfc-editor.org/rfc/rfc8174>

2. RDF Vocabulary

2.1 Vocabulary Details

The namespace URI for this vocabulary is: <http://open-services.net/ns/config#>

The OSLC Configuration Management vocabulary defines terms for versioned resources and configurations of those versioned resources.

2.1.1 Classes in this namespace (15)

[Activity](#), [Baseline](#), [ChangeSet](#), [ChangeSetSelections](#), [Component](#), [Configuration](#), [ConfigurationSettings](#), [Contribution](#), [PersonalConfiguration](#), [RemovalAll](#), [Removals](#), [Selections](#), [Stream](#), [UnboundSelections](#), [VersionResource](#)

Activity

<http://open-services.net/ns/config#Activity>

Activity is an RDFS class.

An activity is a read-only resource representing a long-running operation, such as recursive baseline or stream creation.

Baseline

<http://open-services.net/ns/config#Baseline>

Baseline is an RDFS class.

An immutable configuration with immutable selections of immutable resources, with immutable contributions that are themselves baselines.

ChangeSet

<http://open-services.net/ns/config#ChangeSet>

ChangeSet is an RDFS class.

A change set configuration represents a set of changes (including additions and removals) to some other configuration.

ChangeSetSelections

<http://open-services.net/ns/config#ChangeSetSelections>

ChangeSetSelections is an RDFS class.

A resource listing the version resources selected by a change set configuration.

Component

<http://open-services.net/ns/config#Component>

Component is an RDFS class.

A unit of organization consisting of a set of versioned resources. Components are the units of configurability, and form reusable assets or building blocks.

Configuration

<http://open-services.net/ns/config#Configuration>

Configuration is an RDFS class.

A configuration identifies a set of versions of resources in a component. Configurations commonly identify exactly one version of each resource in a component. Configurations can also assemble other configurations into a shared context across multiple components.

ConfigurationSettings

<http://open-services.net/ns/config#ConfigurationSettings>

ConfigurationSettings is an RDFS class.

Information about settings and preferences for a Configuration Management service.

Contribution

<http://open-services.net/ns/config#Contribution>

Contribution is an RDFS class.

A contribution represents the contribution of one configuration to another.

PersonalConfiguration

<http://open-services.net/ns/config#PersonalConfiguration>

PersonalConfiguration is an RDFS class.

A configuration intended for use by a single agent, rather than shared.

RemovalAll

<http://open-services.net/ns/config#RemoveAll>

RemovalAll is an RDFS class.

For a change set, an indicator that all selections in the overridden configuration are to be ignored; all selections are defined by the change set.

Removals

<http://open-services.net/ns/config#Removals>

Removals is an RDFS class.

For a change set, the selections to be removed from an overridden configuration.

Selections

<http://open-services.net/ns/config#Selections>

Selections is an RDFS class.

A resource listing the version resources selected by a configuration.

Stream

<http://open-services.net/ns/config#Stream>

Stream is an RDFS class.

A mutable configuration. Contributions to this configuration can be streams or baselines.

UnboundSelections

<http://open-services.net/ns/config#UnboundSelections>

UnboundSelections is an RDFS class.

An indicator that a set of selections are as-yet unbound concept resources as opposed to bound version resources.

VersionResource

<http://open-services.net/ns/config#VersionResource>

VersionResource is an RDFS class.

This type is used as a marker for any version resource.

2.1.2 Properties in this namespace (23)

[acceptedBy](#), [accepts](#), [baselineOfStream](#), [baselines](#), [branch](#), [committed](#), [committer](#), [component](#), [configuration](#), [configurations](#), [configurationSettings](#), [contribution](#), [contributionOrder](#), [derivedFrom](#), [mutable](#), [overrides](#), [previousBaseline](#), [progressMessage](#), [release](#), [selections](#), [selects](#), [streams](#), [versionId](#)

acceptedBy

<http://open-services.net/ns/config#acceptedBy>

acceptedBy is an RDF property.

A type of configuration accepted as a contribution by the subject configuration.

accepts

<http://open-services.net/ns/config#accepts>

accepts is an RDF property.

A type of configuration acceptable as a contribution to the subject configuration.

baselineOfStream

<http://open-services.net/ns/config#baselineOfStream>

baselineOfStream is an RDF property.

The stream from which a baseline was made.

baselines

<http://open-services.net/ns/config#baselines>

baselines is an RDF property.

A Linked Data Platform Container for baselines of a stream.

branch

<http://open-services.net/ns/config#branch>

branch is an RDF property.

Identifies a resource as one for a specific branch or variant of the component.

committed

<http://open-services.net/ns/config#committed>

committed is an RDF property.

Date and time a resource was committed, or checked in.

committer

<http://open-services.net/ns/config#committer>

committer is an RDF property.

The entity that committed or checked in this resource.

component

<http://open-services.net/ns/config#component>

component is an RDF property.

A reference to a Component resource.

configuration

<http://open-services.net/ns/config#configuration>

configuration is an RDF property.

A reference to a Configuration resource.

configurations

<http://open-services.net/ns/config#configurations>

configurations is an RDF property.

A Linked Data Platform Container for configurations of a component.

configurationSettings

<http://open-services.net/ns/config#configurationSettings>

configurationSettings is an RDF property.

A reference to information about settings and preferences for a Configuration Management service.

contribution

<http://open-services.net/ns/config#contribution>

contribution is an RDF property.

A reference to a Contribution resource.

contributionOrder

<http://open-services.net/ns/config#contributionOrder>

contributionOrder is an RDF property.

The ordering value for a contribution.

derivedFrom (*Archaic term*)

<http://open-services.net/ns/config#derivedFrom>

derivedFrom is an RDF property.

A resource from which this resource was derived; the use of `prov:wasDerivedFrom` is preferred.

mutable (*Archaic term*)

<http://open-services.net/ns/config#mutable>

mutable is an RDF property.

A boolean property indicating whether or not a resource is modifiable; replaced by use of `Baseline` and `Stream` types.

overrides

<http://open-services.net/ns/config#overrides>

overrides is an RDF property.

A reference to a configuration modified by a change set configuration.

previousBaseline

<http://open-services.net/ns/config#previousBaseline>

previousBaseline is an RDF property.

For a stream or a baseline, a link to the most recent baseline of the same stream.

progressMessage

<http://open-services.net/ns/config#progressMessage>

progressMessage is an RDF property.

Text describing the progress of an operation.

release

<http://open-services.net/ns/config#release>

release is an RDF property.

A reference to a resource representing a release.

selections

<http://open-services.net/ns/config#selections>

selections is an RDF property.

A reference to a Selections resource.

selects

<http://open-services.net/ns/config#selects>

selects is an RDF property.

A reference to a selected version resource.

streams

<http://open-services.net/ns/config#streams>

streams is an RDF property.

A Linked Data Platform Container for streams created from a baseline.

versionId

<http://open-services.net/ns/config#versionId>

versionId is an RDF property.

A human-readable version identifier.

2.1.3 Resources (Individuals) in this namespace (1)

[globalConfigurationService](#)

globalConfigurationService

<http://open-services.net/ns/config#globalConfigurationService>

globalConfigurationService is an RDF individual.

An `oslc:usage` value marking a global configuration service.

3. Conformance

OSLC Configuration Management Servers **MUST** use the vocabulary terms defined here where required, and with the meanings defined here. Servers **MAY** augment this vocabulary with additional terms. [\[config-vocab-1\]](#)